ASSESSING THE POTENTIAL EFFECTS OF CLIMATE CHANGE ON CROATAN NATIONAL FOREST

Forestlands across the region are experiencing increased threats from fire, insect and plant invasions, disease, extreme weather, and drought. Scientists project increases in temperature and changes in rainfall patterns that can make these threats occur more often, with more intensity, and/or for longer durations. Although many of the effects of future changes are negative, natural resource management strategies can help mitigate these impacts. Responses informed by the best current science enable natural resource professionals within the Forest Service to better protect the land, resources, and the region's forestlands into the future.

Forest Health - Invasive plant and insect species may increasingly outcompete or negatively affect native species in the future. Winter freezes historically limit the range of forest pests but higher temperature will likely allow increases in their number and spread. Drought and other factors will increase the susceptibility of forests to destructive insects such as the southern pine beetle. Certain invasive plant species found in this forest, including kudzu and Japanese honeysuckle are expected to increase dramatically as they can tolerate a wide range of harsh conditions, allowing them to rapidly move into new areas.

Response: Manage tree densities through practices such as thinning and prescribed fire to maximize carbon sequestration and reduce the vulnerability of forest stands to water stress, insect and disease outbreaks, and wildfire.

Response: Monitor for new invasive species moving into areas where they were not traditionally found, especially following events such as hurricanes and fire.

Plant Communities - Heat stress may limit the growth of some southern pines and hardwood species. Stress from drought and wide-scale pest outbreaks have the potential to cause large areas of forest dieback. Intensified extreme weather events, such as hurricanes, ice storms, and fire, are also expected to cause changes in plant community composition. Some species of rare or endemic plants may be disproportionately impacted. Species more resistant to these disturbances will be more resilient to a changing climate.

Response: Focus restoration efforts in hurricane-resistant forests, such as longleaf pine, as well as sweetgum or red oak hardwood.

Response: Manage for a range of ages and species in forests to lessen potential loss from drought or infestation.

Animal Communities - Wildlife species will be affected in different ways. Amphibians may be most at risk, as suitable habitat decreases due to warmer, dryer conditions. Bird species, such as red-cockaded woodpeckers, may see a decrease in population as vegetation types change and heat stress makes their food sources more difficult to come by. Alternatively, deer populations may increase due to higher survival rates during warmer winters.

Response: Maintain piles of natural woody debris in areas of high amphibian diversity to supplement habitats that retain cool, moist conditions.

Response: Create habitat corridors, assist in species movement, and identify high-value conservation lands adjacent to National Forests.



Pine Forest



Japanese Honeysuckle



Red-Cockaded Woodpecker



Coastal Ecosystems - Coastal areas in the Southeast have already experienced an average of one inch of sea level rise per decade over the 20th century, a rate that will continue to increase in the future. Rising sea levels, in combination with more intense hurricanes, will alter the composition of coastal marshes. As saltwater flooding expands, low-lying coastal forests and wetlands could become marshland or turn into ghost forests where land use barriers do not exist. Sea level rise can also increase the potential for saltwater intrusion into coastal freshwater tables. Increasing salinity of coastal aquifers may affect groundwater resources within three miles of the coast. Rare species along the coast are also threatened by sea level rise.

Response: Identify and preserve landward migration corridors next to coastal wetlands that can allow these ecosystems to shift landward as sea levels rise.

Extreme Weather - The potential for severe storm events is expected to increase in the future, including more intense hurricanes making landfall in the southern US. Extended periods of extreme high temperature and drought may lead to drier forest fuels which will burn more easily and contribute to larger and more frequent wildfires. More cloud-to-ground lightning due to warming may also increase wildfire ignitions.

Response: Identify areas that provide particularly valuable ecosystem services, like timber harvest or carbon sequestration, and are also vulnerable to extreme weather, like hurricanes or fires. Then plan conservation strategies (e.g. thinning, selective species planting) accordingly to mitigate for extreme weather impacts.

Water Resources - Shifts in rainfall patterns will lead to periods of flooding and drought that can significantly impact water resources. Increases in heavy downpours and more intense hurricanes can lead to greater erosion and more sedimentation in waterways. Increased periods of drought may lead to poor water quality. Geographically isolated wetlands are critical wildlife habitat and can be impacted by changes in surrounding landcover.

Response: Reduce the amount of water taken in by surrounding trees and plants, using management strategies such as thinning and prescribed burns, in order relieve stress on isolated wetlands and streams.

Response: Develop a coordinated system of monitored and controlled entrance points that control most of the water flow inland from the shoreline and high-value water and land restoration areas in order to reduce salt-intrusion as well as to preserve marshes and swamps.

Recreation - Environmental changes may negatively impact recreational experiences due to changes in the plant and animal communities that make those experiences unique. More days above freezing could increase tick and mosquito populations throughout the year, leading to an increase in vector-borne illness. With more days of extreme heat, recreation areas could see decreased use in the summer if temperatures impact visitor comfort.

Response: Communicate early warnings for extreme weather to protect vulnerable groups from health impacts, such as heat illnesses, and monitor for early outbreaks of disease.



Prescribed Burn



Beach in Croatan



Fishing at Cedar Swamp Pond

CLIMATE CHANGE AND YOUR NATIONAL FOREST: CITATIONS

Information in this factsheet is summarized from 60 peer-reviewed science papers found in the USDA Forest Service's

TACCIMO tool. TACCIMO (the Template for Assessing Climate Change Impacts and Management Options) is a web-based application integrating climate change science with management and planning options through search and reporting tools that connect land managers with peer-reviewed information they can trust. For more information and the latest science about managing healthy forests for the future visit the TACCIMO tool online: **www.forestthreats.org/taccimotool**



Forest Health

- Coyle, D.R., Klepzig, K., Koch, F., Morris, L.A. Nowak, J.T., Oak, S.W., Otrosina, W.J., Smith, W.D., and Gandhi, K.J.K. (2015). A review of southern pine decline in North America. Forest Ecology and Management.
- Duerr, D. A., Mistretta, P. A. Invasive Pests Insects and Diseases (2013) In, Wear, D. N., Greis, J. G., eds. The Southern Forest Futures Project. General Technical Report SRS-GTR-178. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station.
- Formby, J. P., Rodgers, J. C., Koch, F. H., Krishnan, N., Duerr, D. A., & Riggins, J. J. (2018). Cold tolerance and invasive potential of the redbay ambrosia beetle (Xyleborus glabratus) in the eastern United States. Biological invasions, 20(4), 995-1007.
- Greenberg, C. H., Perry, R. W., Franzreb, K. E., Loeb, S. C., Saenz, D., Rudolph, D. C., ... & Tanner, G. W. (2013). Climate Change and Wildlife in the Southern United States. In: Vose, J. M.,
- Iverson, L. R., Prasad, A. M., Peters, M. P., & Matthews, S. N. (2019). Facilitating Adaptive Forest Management under Climate Change: A Spatially Specific Synthesis of 125 Species for Habitat Changes and Assisted Migration over the Eastern United States. Forests, 10(11), 989.
- Just, M. G., & Frank, S. D. (2020). Thermal Tolerance of Gloomy Scale (Hemiptera: Diaspididae) in the Eastern United States. Environmental Entomology.
- Kolb, T. E., Fettig, C. J., Ayres, M. P., Bentz, B. J., Hicke, J. A., Stewart, J.E. & Weed, A. S. (2016). Observed and anticipated impacts of drought on forest insects and diseases in the United States. Forest Ecology and Management, 380, 321 – 344.

http://dx.doi.org/10.1016/j.foreco.2016.04.051

- McNulty, S., Baca, A., Bowker, M., Brantley, S., Dreaden, T., Golladay, S. W., Holmes, T., James, N., Liu, S., Lucardi, R. & Mayfeld, A. (2019).
 Managing Effects of Drought in the Southeast United States. In: Vose, James M.; Peterson, David L.; Luce, Charles H.; Patel-Weynand, Toral, eds. Effects of drought on forests and rangelands in the United States: translating science into management responses. Gen. Tech. Rep. WO-98. Washington, DC: US Department of Agriculture, Forest Service, Washington Office. 191-220. Chapter 9., 191-220.
- Miller, J. H., Lemke, D., Couston, J. The Invasion of Southern For- ests by Nonnative Plants: Current and Future Occupation, with Impacts, Management Strategies, and Mitigation Approaches (2013) In, Wear, D. N., Greis, J. G., eds. The Southern Forest Futures Project. General Technical Report SRS-GTR-178. Ashe- ville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station.
- Seidl, R., Thom, D., Kautz, M., Martin-Benito, D., Peltoniemi, M., Vacchiano, G., Wild, J., Ascoli, D., Petr, M., Honkaniemi, J. & Lexer, M. J. (2017). Forest disturbances under climate change. Nature climate change, 7(6), 395.
- Vose, J. M., & Klepzig, K. D. (2013). Climate Change Adaptation and Mitigation Management Options: A Guide for Natural Resource Managers in Southern Forest Ecosystems. CRC Press.

Plant Communities

Allen, C. D., Macalady, A. K., Chenchouni, H., Bachelet, D., McDowell, N., Vennetier, M., ... & Cobb, N. (2010). A global overview of drought and heat-induced tree mortality reveals emerging climate change risks for forests. Forest Ecology and Management, 259(4), 660-684. doi:10.1016/j.foreco.2009.09.001

Bernazzani, P., Bradley, B., and Opperman, J. (2012). Integrating climate

change into habitat conservation plans under the U.S. Endangered Species Act. Environmental Management, 49(6), 1103-1114. doi:10.1007/s00267-012-9853-2.

- Clark, K. E., Chin, E., Peterson, M. N., Lackstrom, K., Dow, K., Foster, M., & Cubbage, F. (2018). Evaluating climate change planning for longleaf pine ecosystems in the Southeast United States. Journal of the Southeast Association of Fish and Wildlife Agencies, 5, 160-168.
- Conrad, A. O., Crocker, E. V., Li, X., Thomas, W. R., Ochuodho, T. O., Holmes, T. P., & Nelson, C. D. (2020). Threats to Oaks in the Eastern United States: Perceptions and Expectations of Experts. Journal of Forestry, 118(1), 14-27.
- Kolb, T. E., Fettig, C. J., Ayres, M. P., Bentz, B. J., Hicke, J. A., Stewart, J.E. & Weed, A. S. (2016). Observed and anticipated impacts of drought on forest insects and diseases in the United States. Forest Ecology and Management, 380, 321 – 344. http://dx.doi.org/10.1016/j.foreco.2016.04.051
- Gade, M. R., & Peterman, W. E. (2019). Multiple environmental gradients influence the distribution and abundance of a key forest-health indicator species in the Southern Appalachian Mountains, USA. Landscape Ecology, 34(3), 569-582.
- Guldin, J. M. (2019). Silvicultural options in forests of the southern United States under changing climatic conditions. New forests, 50(1), 71-87.
- Johnsen, K. H., Butnor, J. R., Kush, J. S., Schmidtling, R. C., & Nelson, C. D. (2009). Hurricane Katrina winds damaged long- leaf pine less than loblolly pine. Southern Journal of Applied Forestry, 33(4), 178-181.
- Ryan, M., Archer, S., Birdsey, R., Dahm, C., Heath, L., Hicke, J. Schlesinger, W. (2008). Land resources. in: The effects of cli- mate change on agriculture, land resources, water resources, and biodiversity. a report by the U.S. climate change science program and the subcommittee on global change research. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research, 362.
- Potter, K. M., Crane, B. S., & Hargrove, W. W. (2017). A United States national prioritization framework for tree species vulnerability to climate change. New forests, 48(2), 275-300.
- Walter, J. A., Neblett, J. C., Atkins, J. W., & Epstein, H. E. (2017). Regional-and watershed-scale analysis of red spruce habitat in the southeastern United States: implications for future restoration efforts. Plant ecology, 218(3), 305-316.

Animal Communities

- Blaustein, A. R., Walls, S. C., Bancroft, B. A., Lawler, J. J., Searle, C. L., & Gervasi, S. S. (2010). Direct and indirect effects of climate change on amphibian populations. Diversity, 2(2), 281- 313. doi:10.3390/d2020281
- DeMay, S. M., & Walters, J. R. (2019). Variable effects of a changing climate on lay dates and productivity across the range of the Red-cockaded Woodpecker. The Condor.
- Joyce, L. A., Blate, G. M., Littell, J. S., McNulty, S. G., Millar, C. I., Moser, S. C., Peterson, D. L. (2008). National forests. in: Preliminary review of adaptation options for climate-sensitive eco- systems and resources. a report by the U.S. climate change science program and the subcommittee on global change re- search. U.S.Environmental Protection Agency, 1-127.
- Lawler, J. J. & Olden, J. D. (2011). Reframing the debate over assisted colonization. Frontiers in Ecology and the Environ- ment, doi:10.1890/100106.
- Mainwaring, M. C., Barber, I., Deeming, D. C., Pike, D. A., Roznik, E. A., & Hartley, I. R. (2017). Climate change and nesting behaviour in

vertebrates: a review of the ecological threats and potential for adaptive responses. Biological Reviews, 92(4), 1991-2002.

Taillie, P. J., Moorman, C. E., Smart, L. S., & Pacifici, K. (2019). Bird community shifts associated with saltwater exposure in coastal forests at the leading edge of rising sea level. PloS one, 14(5), e0216540.

Coastal Ecosystems

- Bhattachan, A., Emanuel, R. E., Ardon, M., Bernhardt, E. S., Anderson, S. M., Stillwagon, M. G., Ury, E.A., Bendor, T.K. & Wright, J. P. (2018). Evaluating the effects of land-use change and future climate change on vulnerability of coastal landscapes to saltwater intrusion. Elem Sci Anth, 6(1).
- Kirwan, M. L., & Gedan, K. B. (2019). Sea-level driven land conversion and the formation of ghost forests. Nature Climate Change, 9(6), 450.
- McMullin, R. T., Wiersma, Y. F., Newmaster, S. G., & Lendemer, J. C. (2019). Risk assessment and conservation strategies for rare lichen species and communities threatened by sea-level rise in the Mid-Atlantic Coastal Plain. Erwin, K. L. (2009). Wetlands and global climate change: the role of wetland Biological Conservation, 239, 108281
- McTigue, N., Davis, J., Rodriguez, T., McKee, B., Atencio, A., & Currin, C. (2019). Sea-level rise explains changing carbon accumulation rates in a salt marsh over the past two millennia. Journal of Geophysical Research: Biogeosciences.
- Kemp, A. C., Horton, B. P., Culver, S. J., Corbett, D. R., van de Plassche, O., Gehrels, W. R., ... & Parnell, A. C. (2009). Timing and magnitude of recent accelerated sea-level rise (North Carolina, Unit- ed States). Geology, 37(11), 1035-1038. doi:10.1130/G30352A.1
- Kirwan, M. L., & Gedan, K. B. (2019). Sea-level driven land conversion and the formation of ghost forests. Nature Climate Change, 9(6),
- Schieder, N. W., & Kirwan, M. L. (2019). Sea-level driven acceleration in coastal forest retreat. Geology, 47(12), 1151-1155.
- Taillie, P. J., Moorman, C. E., Poulter, B., Ardón, M., & Emanuel, R. E. (2019). Decadal-Scale Vegetation Change Driven by Salinity at Leading Edge of Rising Sea Level. Ecosystems, 1-13.
- Tully, K., Gedan, K., Epanchin-Niell, R., Strong, A., Bernhardt, E. S., BenDor, T., Mitchell, M., Kominoski, J., Jordan, T.E., Neubauer, S.C. & Weston, N. B. (2019). The Invisible Flood: The Chemistry, Ecology, and Social Implications of Coastal Saltwater Intrusion. BioScience, 69(5), 368-378.

Extreme Weather

- Carter, L., A. Terando, K. Dow, K. Hiers, K.E. Kunkel, A. Lascurain, D. Marcy, M. Osland, and P. Schramm. (2018). Southeast. In Impacts, Risks, and Adaptation in the United States: Fourth National Climate Assessment, Volume II [Reidmiller, D.R., C.W. Avery, D.R. Easterling, K.E. Kunkel, K.L.M. Lewis, T.K. Maycock, and B.C. Stewart (eds.)]. U.S. Global Change Research Program, Washington, DC, USA. doi: 10.7930/NCA4.2018.CH19
- Emanuel, K. (2017). Assessing the present and future probability of Hurricane Harvey's rainfall. Proceedings of the National Academy of Sciences, 114(48), 12681-12684.
- Fill, J. M., Davis, C. N., & Crandall, R. M. (2019). Climate change lengthens southeastern USA lightning-ignited fire seasons. Global change biology.
- Heilman, W. E., Potter, B. E., & Zerbe, J. I. (1998). Regional climate change in the southern united states: The implications for wildfire occurrence. Productivity & Sustainability of Southern Forest Ecosystems in a Changing Environment, 1, 683-699.
- Knutson, T. R., McBride, J. L., Chan, J., Emanuel, K., Holland, G., Landsea, C., Held, I., Kossin, J. P., Srivastava, A. K., & Sugi, M. (2010). Tropical cyclones and climate change. Nature Geo- science, 3(3), 157-163. doi:10.1038/ngeo77
- Liu, Y., Prestemon, J. P., Goodrick, S. L., Holmes, T. P., Stanturf, J. A., Vose, J. M., Sun, G. (2014) Future wildfire trends, impacts, and mitigation options in the Southern United States. In: Vose, J. M., Klepzig, K. D., eds. Climate change adaptation and mitigation management options: A guide for natural re- source managers in southern forest ecosystems. Boca Raton, FL: CRC Press. 85-126.
- Osburn, C. L., Rudolph, J. C., Paerl, H. W., Hounshell, A. G., & Van Dam, B. R. (2019). Lingering carbon cycle effects of Hurricane Matthew in North Carolina's coastal waters. Geophysical Research Letters, 46(5), 2654-2661
- Rieman, B. E., Hessburg, P. F., Luce, C., & Dare, M. R. (2010). Wildfire and management of forests and native fishes: Conflict or opportunity for

convergent solutions? BioScience, 60 (6), 460-468. A global estimate of declining water storage capacity in large reservoirs. Water Resources Research, 49, 5732 - 5739. doi:10.1002/wrcr.20452.

- Seneviratne, S. I., Nicholls, N., Easterling, D., Goodess, C.M., Kanae, S., Kossin, J., Zhang, X. (2012). Changes in climate extremes and their impacts on the natural physical environment. In: Field, C.B et al. (Eds.), Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation. A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change (IPCC). Cam- bridge, UK, and New York, NY, USA: Cambridge University Press, 109-230.
- Ury, E. A., Anderson, S. M., Peet, R. K., Bernhardt, E. S., & Wright, J. P. (2019). Succession, regression and loss: does evidence of saltwater exposure explain recent changes in the tree communities of North Carolina's Coastal Plain?. Annals of Botany.

Water Resources

- restoration in a changing world. Wetlands Ecology and Management, 17(1), 71-84. doi:10.1007/s11273-008-9119-1
- Karl, T. R., Melillo, J. M., & Peterson, T. C. (2009). Global climate change impacts in the United States. New York, NY, USA: Cam- bridge University Press.
- Osburn, C. L., Rudolph, J. C., Paerl, H. W., Hounshell, A. G., & Van Dam, B. R. (2019). Lingering carbon cycle effects of Hurricane Matthew in North Carolina's coastal waters. Geophysical Research Letters, 46(5), 2654-2661.

Poulter, B., Goodall, J. L., & Halpin, P. N. (2008). Applications of network analysis for adaptive management of artificial drainage systems in landscapes vulnerable to sea level rise. Journal of- Hydrology, 357(3), 207-217. doi:10.1016/j.jhydrol.2008.05.022

- Poulter, B., Feldman, R. L., Brinson, M. M., Horton, B. P., Orbach, M. K., Pearsall, S. H., & Whitehead, J. C. (2009). Sea-level rise research and dialogue in North Carolina: Creating windows for policy change. Ocean & Coastal Management, 52(3), 147-153. doi:10.1016/j.ocecoaman.2008.09.010
- Rieman, B. E., Hessburg, P. F., Luce, C., & Dare, M. R. (2010). Wildfire and management of forests and native fishes: Conflict or opportunity for convergent solutions? BioScience, 60 (6), 460-468.
- Susaeta, A., Adams, D. C., Gonzalez-Benecke, C., & Soto, J. R. (2017). Economic Feasibility of Managing Loblolly Pine Forests for Water Production under Climate Change in the Southeastern United States. Forests, 8(3), 83.
- Zhu, J., Sun, G., Li, W., Zhang, Y., Miao, G., Noormets, A., McNulty, S.G., King, J.S., Kumar, M. & Wang, X. (2017). Modeling the potential impacts of climate change on the water table level of selected forested wetlands in the southeastern United States. Hydrology and Earth System Sciences, 21(12), 6289-6305

Recreation

- Boyer, T. A., Melstrom, R. T., & Sanders, L. D. (2017). Effects of climate variation and water levels on reservoir recreation. Lake and reservoir management, 33(3), 223-233.
- Joyce, L. A., Blate, G. M., Littell, J. S., McNulty, S. G., Millar, C. I., Moser, S. C., .Peterson, D. L. (2008). National forests. in: Preliminary review of adaptation options for climate-sensitive ecosystems and resources. a report by the U.S. climate change science program and the subcommittee on global change research. U.S.Environmental Protection Agency, 1-127.
- Jurjonas, M., & Seekamp, E. (2018). Rural coastal community resilience: Assessing a framework in eastern North Carolina. Ocean & coastal management, 162, 137-150.
- Luber, G., K. Knowlton, J. Balbus, H. Frumkin, M. Hayden, J. Hess, M. McGeehin, N. Sheats, L. Backer, C. B. Beard, K. L. Ebi, E. Maibach, R. S. Ostfeld, C. Wiedinmyer, E. Zielinski-Gutiérrez, & L. Ziska, (2014). Ch. 9: Human Health. Climate Change Impacts in the United States: The Third National Climate Assess- ment, J. M. Melillo, Terese (T.C.) Richmond, and G. W. Yohe, Eds., U.S. Global Change Research Program, 220-256. 10.1641/0006-3568(2001)051[0753:ASIOCC]2.0.CO;2
- Scott, D., McBoyle, G., & Schwartzentruber, M. (2004). Climate change and the distribution of climatic resources for tourism in North America. Climate Research, 105-117.