ASSESSING THE POTENTIAL EFFECTS OF CLIMATE CHANGE ON NATIONAL FORESTS IN MISSISSIPPI

Forestlands across the region are experiencing increased threats from fire, insect and plant invasions, disease, extreme weather, and drought. Scientists project increases in temperature and changes in rainfall patterns that can make these threats occur more often, with more intensity, and/or for longer durations. Although many of the effects of future changes are negative, natural resource management strategies can help mitigate these impacts. Responses informed by the best current science enable natural resource professionals within the Forest Service to better protect the land, resources, and the region's forestlands into the future.

Forest Health - Invasive plant and insect species may increasingly outcompete or negatively affect native species in the future. Winter freezes historically limit the range of forest pests but higher temperature will likely allow increases in their number and spread. Drought and other factors will increase the susceptibility of forests to destructive insects such as the southern pine beetle. Certain invasive plant species found in these forests, including kudzu and Japanese honeysuckle are expected to increase dramatically as they can tolerate a wide range of harsh conditions, allowing them to rapidly move into new areas.

Response: Manage tree densities through practices such as thinning and prescribed fire to maximize carbon sequestration and reduce the vulnerability of forest stands to water stress, insect and disease outbreaks, and wildfire.

Response: Monitor for new invasive species moving into areas where they were not traditionally found, especially following events such as hurricanes and fire.

Plant Communities - Heat stress may limit the growth of some southern pines and hardwood species. Stress from drought and widescale pest outbreaks have the potential to cause large areas of forest dieback. Intensified extreme weather events, such as hurricanes, ice storms, and fire, are also expected to cause changes in plant community composition. Plant species such as the endangered green pitcher plant require moisture-rich soils and may decline due to increasing drought. Species more resistant to these disturbances will be more resilient to a changing climate.

Response: Focus restoration efforts in hurricane-resistant forests, such as longleaf pine as well as sweetgum or red oak hardwood. Response: Manage for a range of ages and species in forests to lessen potential loss from drought or infestation.

Animal Communities - Wildlife species will be affected in different ways. Amphibians may be most at risk, as suitable habitat decreases due to warmer, dryer conditions. The endangered gopher tortoise, which depends on longleaf pine ecosystems, will likely be severely affected by habitat changes due to drought, temperature shifts and variable precipitation. Bird species, such as red cockaded woodpeckers, may see a decrease in population as vegetation types change and heat stress makes their food sources more difficult to come by. Alternatively, deer populations may increase due to higher survival rates during warmer winters.



Japanese honeysuckle



Green pitcher plant



Gopher tortoise



Response: Maintain piles of natural woody debris in areas of high amphibian diversity to supplement habitats that retain cool, moist conditions.

Response: Manage for longleaf pine ecosystems with prescribed burns to create the open understory that is ideal for the gopher tortoise.

Extreme Weather - The potential for severe storm events is expected to increase in the future, including more intense hurricanes making landfall in the southern US. Extended periods of extreme high temperature and drought may lead to drier forest fuels which will burn more easily and contribute to larger and more frequent wildfires. More cloud-to-ground lightning due to warming may also increase wildfire ignitions.

> Response: Identify areas that provide particularly valuable ecosystem services, like timber harvest or carbon sequestration, and are also vulnerable to extreme weather, droughts, tornadoes or hurricanes. Then plan conservation strategies (e.g. thinning, prescribed burns, species selection) accordingly to mitigate for extreme weather impacts.

Response: Reduce increased wildfire potential by conducting prescribed burns.

Water Resources - Shifts in rainfall patterns will lead to periods of flooding and drought that can significantly impact water resources. Increases in heavy downpours and more intense hurricanes can lead to greater erosion and more sedimentation in waterways. Increased periods of drought may lead to poor water quality. Geographically isolated wetlands are critical wildlife habitat and can be impacted by changes in surrounding landcover.

Response: Reduce the amount of water taken in by surrounding trees and plants, using management strategies such as thinning and prescribed burns, in order relieve stress on isolated wetlands and streams.

Response: Develop a coordinated system of mature and healthy coastal mangroves, dunes, and wetlands that are resilient and resistant to the stress of climate change and protect against storm surge. This strategy provides valuable and cost-effective ecosystem services and many ancillary benefits.

Recreation - Environmental changes may negatively impact recreational experiences due to changes in the plant and animal communities that make those experiences unique. More days above freezing could increase tick and mosquito populations throughout the year, leading to an increase in vector-borne illness. With more days of extreme heat, recreation areas could see decreased use in the summer if temperatures impact visitor comfort.

Response: Examine the goals for a water system or area of land when considering changing dynamics. For example, a stream managed mostly for recreation must balance the demand for rainbow trout from anglers with other aquatic and terrestrial impacts.

Response: Communicate early warnings for extreme weather to protect vulnerable groups from health impacts, such as heat illnesses, and monitor for early outbreaks of disease.



Delta National Forest



Kayaking



Big Biloxi Campground

CLIMATE CHANGE AND YOUR NATIONAL FOREST: CITATIONS

Information in this factsheet is summarized from 53 peer-reviewed science papers found in the USDA Forest Service's TACCIMO tool. TACCIMO (the Template for Assessing Climate Change Impacts and Management Options) is a web-based application integrating climate change science with management and planning options through search and reporting tools that connect land managers with peer-reviewed information they can trust. For more information and the latest science about managing healthy forests for the future visit the TACCIMO tool online: www.forestthreats.org/taccimotool



Forest Health

- Coyle, D.R., Klepzig, K., Koch, F., Morris, L.A. Nowak, J.T., Oak, S.W., Otrosina, W.J., Smith, W.D., and Gandhi, K.J.K. (2015). A review of southern pine decline in North America. Forest Ecology and Management.
- Duerr, D. A., Mistretta, P. A. Invasive Pests Insects and Diseases (2013) In, Wear, D. N., Greis, J. G., eds. The Southern Forest Futures Project. General Technical Report SRS-GTR-178. Ashe- ville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station.
- Formby, J. P., Rodgers, J. C., Koch, F. H., Krishnan, N., Duerr, D. A., & Riggins, J. J. (2018). Cold tolerance and invasive potential of the redbay ambrosia beetle (Xyleborus glabratus) in the eastern United States. Biological invasions, 20(4), 995-1007.
- Iverson, L. R., Prasad, A. M., Peters, M. P., & Matthews, S. N. (2019). Facilitating Adaptive Forest Management under Climate Change: A Spatially Specific Synthesis of 125 Species for Habitat Changes and Assisted Migration over the Eastern United States. Forests, 10(11), 989.
- Just, M. G., & Frank, S. D. (2020). Thermal Tolerance of Gloomy Scale (Hemiptera: Diaspididae) in the Eastern United States. Environmental Entomology.
- Kolb, T. E., Fettig, C. J., Ayres, M. P., Bentz, B. J., Hicke, J. A., Stewart, J.E. & Weed, A. S. (2016). Observed and anticipated impacts of drought on forest insects and diseases in the United States. Forest Ecology and Management, 380, 321 – 344. http://dx.doi.org/10.1016/j.foreco.2016.04.051
- McNulty, S., Baca, A., Bowker, M., Brantley, S., Dreaden, T., Golladay, S. W., Holmes, T., James, N., Liu, S., Lucardi, R. & Mayfeld, A. (2019). Managing Effects of Drought in the Southeast United States. In: Vose, James M.; Peterson, David L.; Luce, Charles H.; Patel-Weynand, Toral, eds. Effects of drought on forests and rangelands in the United States: translating science into management responses. Gen. Tech. Rep. WO-98. Washington, DC: US Department of Agriculture, Forest Service, Washington Office. 191-220. Chapter 9., 191-220.
- Miller, J. H., Lemke, D., Couston, J. The Invasion of Southern Forests by Nonnative Plants: Current and Future Occupation, with Impacts, Management Strategies, and Mitigation Approaches (2013) In, Wear, D. N., Greis, J. G., eds. The Southern Forest Futures Project. General Technical Report SRS-GTR-178. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station.
- Seidl, R., Thom, D., Kautz, M., Martin-Benito, D., Peltoniemi, M., Vacchiano, G., Wild, J., Ascoli, D., Petr, M., Honkaniemi, J. & Lexer, M. J. (2017). Forest disturbances under climate change. Nature climate change, 7(6), 395.

Plant Communities

- Allen, C. D., Macalady, A. K., Chenchouni, H., Bachelet, D., McDowell, N., Vennetier, M., ... & Cobb, N. (2010). A global overview of drought and heat-induced tree mortality reveals emerging climate change risks for forests. Forest Ecology and Management, 259(4), 660-684. doi:10.1016/j.foreco.2009.09.001
- Bernazzani, P., Bradley, B., and Opperman, J. (2012). Integrating climate change into habitat conservation plans under the U.S. Endangered Species Act. Environmental Management, 49(6), 1103-1114. doi:10.1007/s00267-012-9853-2.

- Bragg, D. C., Shelton, M. G., & Zeide, B. (2003). Impacts and forest management implications of ice storms in forests in the southern United States. Forest Ecology and Management, 186, 99-123.
- Clark, K. E., Chin, E., Peterson, M. N., Lackstrom, K., Dow, K., Foster, M., & Cubbage, F. (2018). Evaluating climate change planning for longleaf pine ecosystems in the Southeast United States. Journal of the Southeast Association of Fish and Wildlife Agencies, 5, 160-168.
- Conrad, A. O., Crocker, E. V., Li, X., Thomas, W. R., Ochuodho, T. O., Holmes, T. P., & Nelson, C. D. (2020). Threats to Oaks in the Eastern United States: Perceptions and Expectations of Experts. Journal of Forestry, 118(1), 14-27.
- Dijak, W. D., Hanberry, B. B., Fraser, J. S., He, H. S., Wang, W. J., & Thompson, F. R. (2017). Revision and application of the LINKAGES model to simulate forest growth in central hardwood landscapes in response to climate change. Landscape ecology, 32(7), 1365-1384.
- Guldin, J. M. (2019). Silvicultural options in forests of the southern United States under changing climatic conditions. New forests, 50(1), 71-87.
- Hellmann, J. J., Byers, J. E., Bierwagen, B. G., & Dukes, J. S. (2008). Five potential consequences of climate change for inva- sive species. Conservation Biology, 22(3), 534-543.
- Iverson, L. R., Prasad, A. M., Peters, M. P., & Matthews, S. N. (2019). Facilitating Adaptive Forest Management under Climate Change: A Spatially Specific Synthesis of 125 Species for Habitat Changes and Assisted Migration over the Eastern United States. Forests, 10(11), 989.
- Johnsen, K. H., Butnor, J. R., Kush, J. S., Schmidtling, R. C., & Nelson, C. D. (2009). Hurricane Katrina winds damaged long- leaf pine less than loblolly pine. Southern Journal of Applied Forestry, 33(4), 178-181.
- McKee, K. L., & Vervaeke, W. C. (2018). Will fluctuations in salt marshmangrove dominance alter vulnerability of a subtropical wetland to sea-level rise?. Global change biology, 24(3), 1224-1238.
- National Park Service. Green pitcher plant: endangered species. (2015)_ http://www.nps.gov/liri/learn/nature/green-pitcher-plant-endangeredspecies.htm
- Potter, K. M., Crane, B. S., & Hargrove, W. W. (2017). A United States national prioritization framework for tree species vulnerability to climate change. New forests, 48(2), 275-300.
- Walter, J. A., Neblett, J. C., Atkins, J. W., & Epstein, H. E. (2017). Regional-and watershed-scale analysis of red spruce habitat in the southeastern United States: implications for future restoration efforts. Plant ecology, 218(3), 305-316.

Animal Communities

- Blaustein, A. R., Walls, S. C., Bancroft, B. A., Lawler, J. J., Searle, C. L., & Gervasi, S. S. (2010). Direct and indirect effects of climate change on amphibian populations. Diversity, 2(2), 281-313. doi:10.3390/d2020281
- DeMay, S. M., & Walters, J. R. (2019). Variable effects of a changing climate on lay dates and productivity across the range of the Redcockaded Woodpecker. The Condor.
- Joyce, L. A., Blate, G. M., Littell, J. S., McNulty, S. G., Millar, C. I., Moser, S. C., Peterson, D. L. (2008). National forests. in: Preliminary review of adaptation options for climate-sensitive eco- systems and resources. a report by the U.S. climate change science program and the subcommittee on global change research. U.S. Environmental Protection Agency, 1-127.

Lawler, J. J. & Olden, J. D. (2011). Reframing the debate over assisted colonization. Frontiers in Ecology and the Environment, doi:10.1890/100106.

- Mainwaring, M. C., Barber, I., Deeming, D. C., Pike, D. A., Roznik, E. A., & Hartley, I. R. (2017). Climate change and nesting behaviour in vertebrates: a review of the ecological threats and potential for adaptive responses. Biological Reviews, 92(4), 1991-2002.
- McCoy, E.D., Moore, R.D., Mushinsky, H.R., & Popa, S.C. (2015). Effects of Rainfall and the potential influence of climate change on two congeneric tortoise species. Chelonian Conservation and Biology, 14, 1.
- Taillie, P. J., Moorman, C. E., Smart, L. S., & Pacifici, K. (2019). Bird community shifts associated with saltwater exposure in coastal forests at the leading edge of rising sea level. PloS one, 14(5), e0216540.
- VanCompernolle, Michelle & Knouft, Jason & Ficklin, Darren. (2019). Multispecies conservation of freshwater fish assemblages in response to climate change in the southeastern United States. Diversity and Distributions.

Extreme Weather

- Fill, J. M., Davis, C. N., & Crandall, R. M. (2019). Climate change lengthens southeastern USA lightning-ignited fire seasons. Global change biology.
- Gilman, E. L., Allison, J., Duke, N., & Field, C. (2008). Threats to mangroves from climate change and adaptation options: A review. Aquatic Botany, 89, 237-250. doi:10.1016/ j.aquabot.2007.12.009.
- Hu, H., Wang, G. G., Bauerle, W. L., & Klos, R. J. (2017). Drought impact on forest regeneration in the Southeast USA. Ecosphere, 8(4), e01772.
- Knutson, T. R., McBride, J. L., Chan, J., Emanuel, K., Holland, G., Landsea, C., Held, I., Kossin, J. P., Srivastava, A. K., & Sugi, M. (2010). Tropical cyclones and climate change. Nature Geoscience, 3(3), 157-163. doi:10.1038/ngeo779
- Liu, Y., Prestemon, J. P., Goodrick, S. L., Holmes, T. P., Stanturf, J. A., Vose, J. M., Sun, G. (2014) Future wildfire trends, impacts, and mitigation options in the Southern United States. In: Vose, J. M., Klepzig, K. D., eds. Climate change adaptation and miti- gation management options: A guide for natural resource man- agers in southern forest ecosystems. Boca Raton, FL: CRC Press. 85-126.
- Nelson, E. J., Kareiva, P., Ruckelshaus, M., Arkema, K., Geller, G., & Tallis, H. (2013).Climate change's impact on key ecosystem services and the human well-being they support in the US. Frontiers in Ecology and the Environment, 11 (9), 483 – 493. doi:10.1890/120312.
- Seneviratne, S. I., Nicholls, N., Easterling, D., Goodess, C.M., Kanae, S., Kossin, J., & Zhang, X. (2012). Changes in climate extremes and their impacts on the natural physical environ- ment. In: Field, C.B et al. (Eds.), Managing the Risks of Ex- treme Events and Disasters to Advance Climate Change Adap- tation. A Special Report of Working Groups I and II of the In- tergovernmental Panel on Climate Change (IPCC). Cambridge, UK, and New York, NY, USA: Cambridge University Press, 109- 230.
- Van Der Wiel, K., Kapnick, S. B., Van Oldenborgh, G. J., Whan, K., Philip, S., Vecchi, G. A., Singh, R.K., Arrighi, J. & Cullen, H. (2017). Rapid attribution of the August 2016 flood-inducing extreme precipitation in south Louisiana to climate change. Hydrol. Earth Syst. Sci, 21(2), 897-921.

Water Resources

- Acharya, A. (2017). Quantification of modeled streamflows under climate change over the flint river watershed in Northern Alabama. Journal of Hydrologic Engineering, 22(9), 04017032.
- Hwang, T., Martin, K. L., Vose, J. M., Wear, D., Miles, B., Kim, Y., & Band, L. E. (2018). Nonstationary Hydrologic Behavior in Forested Watersheds Is Mediated by Climate-Induced Changes in Growing Season Length and Subsequent Vegetation Growth. Water Resources Research, 54(8), 5359-5375.
- Karl, T. R., Melillo, J. M., & Peterson, T. C. (2009). Global climate change

impacts in the United States. New York, NY, USA: Cambridge University Press.

- Ouyang, Y., Parajuli, P. B., Li, Y., Leininger, T. D., & Feng, G. (2017). Identify temporal trend of air temperature and its impact on forest stream flow in Lower Mississippi River Alluvial Valley using wavelet analysis. Journal of environmental management, 198, 21-31.
- Rieman, B. E., Hessburg, P. F., Luce, C., & Dare, M. R. (2010).Wildfire and management of forests and native fishes: Conflict or opportunity for convergent solutions? BioScience, 60 (6), 460-468.
- Seager, R., Tzanova, A., & Nakamura, J. (2009). Drought in the Southeastern United States: Causes, variability over the last millennium, and the potential for future hydroclimate change. American Meteorological Society, 22(19), 5021-5045.
- Susaeta, A., Adams, D. C., Gonzalez-Benecke, C., & Soto, J. R. (2017). Economic Feasibility of Managing Loblolly Pine Forests for Water Production under Climate Change in the Southeastern United States. Forests, 8(3), 83.
- Wisser, D., Frolking, S., Hagen, S. & Bierkens, M. F. P. (2013). Beyond peak reservoir storage? A global estimate of declining water storage capacity in large reservoirs. Water Resources Research, 49, 5732 – 5739. doi:10.1002/wrcr.20452.
- Zhu, J., Sun, G., Li, W., Zhang, Y., Miao, G., Noormets, A., McNulty, S.G., King, J.S., Kumar, M. & Wang, X. (2017). Modeling the potential impacts of climate change on the water table level of selected forested wetlands in the southeastern United States. Hydrology and Earth System Sciences, 21(12), 6289-6305

Recreation

- Boyer, T. A., Melstrom, R. T., & Sanders, L. D. (2017). Effects of climate variation and water levels on reservoir recreation. Lake and reservoir management, 33(3), 223-233.
- Luber, G., K. Knowlton, J. Balbus, H. Frumkin, M. Hayden, J. Hess, M. McGeehin, N. Sheats, L. Backer, C. B. Beard, K. L. Ebi, E. Maibach, R. S. Ostfeld, C. Wiedinmyer, E. Zielinski-Gutiérrez, & L. Ziska, (2014). Ch. 9: Human Health. Climate Change Im- pacts in the United States: The Third National Climate Assess- ment, J. M. Melillo, Terese (T.C.) Richmond, and G. W. Yohe, Eds., U.S. Global Change Research Program, 220-256.
- McNulty, S., Baca, A., Bowker, M., Brantley, S., Dreaden, T., Golladay, S. W., Holmes, T., James, N., Liu, S., Lucardi, R. & Mayfeld, A. (2019).
 Managing Effects of Drought in the Southeast United States. In: Vose, James M.; Peterson, David L.; Luce, Charles H.; Patel-Weynand, Toral, eds. Effects of drought on forests and rangelands in the United States: translating science into management responses. Gen. Tech. Rep. WO-98. Washington, DC: US Department of Agriculture, Forest Service, Washington Office. 191-220. Chapter 9., 191-220.
- Najjar, R. G., Walker, H. A., Anderson, P. J., Barron, E. J., Bord, R. J., Gibson, J. R., Kennedy, V. S., Kennedy, V.S., Knight, C.G., Megonigal, J.P., O¹Connor, R.E. and Polsky, C.D. (2000). The potential impacts of climate change on the mid-Atlantic coastal region. Climate Research, 14, 219-233.
- Richardson, R. B., Loomis, J. B. (2004). Adaptive recreation planning and climate change: a contingent visitation approach. Ecological Economics, 50, 83-99. doi:10.1016/j.ecolecon.2004.02.010
- Scott, D., McBoyle, G., & Schwartzentruber, M. (2004). Climate change and the distribution of climatic resources for tourism in North America. Climate Research, 105-117.
- Tully, K., Gedan, K., Epanchin-Niell, R., Strong, A., Bernhardt, E. S., BenDor, T., Mitchell, M., Kominoski, J., Jordan, T.E., Neubauer, S.C. & Weston, N. B. (2019). The Invisible Flood: The Chemistry, Ecology, and Social Implications of Coastal Saltwater Intrusion. BioScience, 69(5), 368-378.